









EKSERI VIJCI I ČAVLI U IZRADI OBUĆE

		EKSER ZA RUBOVE ĐONA „specijalni“ Ravna glava Telo eksera kvadratnog profila - Cod. CB (veličune 5 .. 11) Brušeni čelik UPOTREBA: Automatske mašine za zakivanje pete ili ručno
		EKSER ZA RUBOVE ĐONA Ravna glava Prečnik tela eksera Ø mm. 1,05 - Cod. ST (veličine 5 .. 18) Prečnik tela eksera Ø mm. 1,20 - Cod. T (veličina 10 .. 18) Brušeni čelik UPOTREBA: Automatske mašine za zakivanje pete ili ručno
		EKSERČIĆ ZA RUBOVE ĐONA Ravna glava, mala Prečnik tela eksera Ø mm. 0,8 - Cod. MT (veličine 5 .. 10) Brušeni čelik UPOTREBA: Automatske mašine za zakivanje pete ili ručno


EKSERI VIJCI I ČAVLI U IZRADI OBUĆE

		EKSER ZA ĐON Ovalna glava Prečnik tela eksera Ø mm. 1,05 - Cod. SB (veliĉine 12 .. 18) Prečnik tela eksera Ø mm. 1,20 - Cod. B (veliĉine 10 .. 18) UPOTREBA: Automatske mašine za zakivanje pete ili ruĉno
		EKSERČIĆI ZA GORNJI DEO OBUĆE Ovalna glava Prečnik tela eksera Ø mm. 0,8 - Cod. MB (veliĉine 12 .. 18) UPOTREBA: Automatske pneumatske mašine za gornji deo obuće ili ruĉno
		EKSER ZA PETE Prečnik tela eksera Ø 3,2 mm - Cod. EDS (06 .. 32) Prečnik tela eksera Ø 4 mm - Cod. GLZ (06 .. 32) Ravna glava Brušeni ĉelik sa zarezima UPOTREBA: Automatske pneumatske ili ruĉno


EKSERI VIJCI I ČAVLI U IZRADI OBUĆE

		VALJANI ČAVLIĆ Prečnik tela eksera Ø 4 mm - Cod. R (06 .. 32) T.4 Ravna glava Brušeni čelik UPOTREBA: Automatske pneumatske ili ručno
		VALJANI ČAVLIĆI ZA PETE Testa piana Ø 5,5 mm - Cod. CT (14 .. 22) Testa piana Ø 6,2 mm - Cod. CT (14 .. 22) T6 Gambo tondo Acciaio lucido UPOTREBA: Automatske pneumatske ili ručno
		VIJAK ZA PETE Ravna glava sa žljebom Telo kružni presek - Cod. VT (veliĉine 10 .. 28) Brušenj čelik UPOTREBA: Automatske pneumatske ili ručno

EKSERI VIJCI I ČAVLI U IZRADI OBUĆE

		EKSERČIĆI ZA OJAČANJA Ravna glava Prečnik tela Ø mm. 1,1 - Cod. P (veličine 06 .. 16) UPOTREBA: Automatske pneumatske ili ručno
		EKSER ZA RUČNO ZAKIVANJE Ravna glava Relo četvrtastog profila - Cod. SP (veličine 05 .. 32) Od mekog čelika i bakra UPOTREBA: ručno
		ČIODE ZA RUČNO ZAKIVANJE Sa malom glavom - Cod. GL Sa polukružnom glavom - Cod. C Sa velikom glavom - Cod. PL Gambo tondo UPOTREBA: ručno

EKSERI VIJCI I ČAVLI U IZRADI OBUĆE

		EKSER RAVAN Ravna glava - Cod. SEL Telo četvrtastog profila Brušeni čelik UPOTREBA: ručno
		EKSER STANJENI Ravna glava Telo četvrtastog profila - Cod. CS (05 .. 09) Brušeni čelik UPOTREBA: Automatske pneumatske ili ručno